

**Sommario**

<b>VC10TCoupleB .....</b>	3
<b>IMPLEMENTATION .....</b>	3
Error .....	3



## VC10TCoupleB

The VC10TCoupleB function converts a voltage value, expressed in microvolts, to the corresponding temperature value, expressed in tenths of a Celsius degree, connected with a thermocouple type B.

Input range : from 200 µV to 13850 µV

Output range : from 2105 °C<sup>-1</sup> to 18226 °C<sup>-1</sup>

## IMPLEMENTATION

### VC10TCoupleB (mvhot, dgradi\_hot, gbError)

Parameters:

IN/OUT	VARIABLE TYPE	EXAMPLE NAME	DIM	
IN	GLOBAL	mvhot	L	It is the voltage value to convert expressed in micro Volts.
OUT	GLOBAL	dgradi_hot	L	It is the converted temperature value expressed in tenths of a Celsius degree.
OUT	GLOBAL	gbError	B	Variable containing the error code

## Error

Once invoked the function if there are any errors the error variable having the following values:

- 0 - No error
- 1 - Value less than the minimum
- 2 - Value higher than the maximum
- 3 - Value indicating disconnected input

## Example

```
...
; Cold-junction reading
card_type = 0 ; using L1TT0 card
IR10CJRead (COLD, card_type, dgradi_cold, error)
...
; Hot-junction reading
card_type = 0
IR10HJRead (HOT, card_type, mvhot, error)
...
VC10TCoupleB (mvhot, dgradi_hot, gbError)
...
temperature = dgradi_cold + dgradi_hot ;Temperature in tenths of a degree
...
```

Documento generato automaticamente da **Qem Wiki** - <https://wiki.qem.it/>

Il contenuto wiki è costantemente aggiornato dal team di sviluppo, è quindi possibile che la versione online contenga informazioni più recenti di questo documento.